




Commercial Ref.	Code
17.8.P/RR	10002
17.8.P	10000

Grey with transparent window





IP67  TYPE: 67TC09
1x8 modules DIN rail




Commercial Ref.	Code
17.8.M/RR	10102
17.8.M	10100

Grey with transparent window





IP67  TYPE: 67TC09M
1x8 modules DIN rail



Commercial Ref.	Code
17.8.F/RR	10502
17.8.F	10500


Grey with transparent window



IP67  TYPE: 67TC09F
Fuses


/RR: References with earth and neutral bars.


Fully wired sockets in all combination units.
Other combinations available under request.




Commercial Ref.	Code
17.12.GM/RR	10202
17.12.GM	10200

Grey with transparent window




IP67



TYPE: 67TC13
1x12 modules DIN rail



Commercial Ref.	Code
17.24.GM/RR	10402
17.24.GM	10400

Grey with transparent window



IP67


TYPE: 67TC26
2x12 (24) modules DIN rail

/RR: References with earth and neutral bars.

Fully wired sockets in all combination units.

Other combinations available under request.



■ IP44-IP67 COMBINATION UNITS

6 different sizes for installation of any sort of protection devices. From 9 to 24 DIN Rail modules. Any project requirement to be made to your exact specifications.




Plain enclosure





Enclosure with pre-wired socket outlets



Ready to use protected combination units



Ample internal space for wiring. The fitting of every device and its testing procedure are made under the EN60439-1-4 norms



The fitting of terminal blocks* aids the connection between power supply lines



M32-M40 cable entries provide an organized connection between the lines and accordingly to your needs

On every combination unit a Declaration of conformity is included, as well as its electrical diagram listing all components fitted.

* For any further information over these combination units, please contact your nearest IDE Distributor or get in touch with us.